The Journal of Cell Biology

Volume 144, 1999

Published biweekly by
The Rockefeller University Press
Managing Editor
Michael T. Rossner
Editorial Assistants
Sati Motieram, Adaobi Obi,
Leslie Thomas, and Brandy Murphy
Copyediting and Production
Aisha Caruth, Davide R. Dickson,
Erinn A. Grady, and Justine M. Manser

Editor-in-Chief

Ira Mellman

Associate Editors

Don W. Cleveland
Werner Franke
Elaine Fuchs
W. James Nelson
Louis F. Reichardt
Randy Schekman
Kenneth M. Yamada

Editorial Board

Kathryn Anderson
Richard G.W. Anderson
Vann Bennett
Marianne Bronner-Fraser
Eric J. Brown
Lewis Cantley
John S. Condeelis
Caroline Damsky
Pietro DeCamilli
Elisabetta Dejana
David J. DeRosier
David Drubin
William Earnshaw
Scott Emr
Larry Gerace
Larry Goldstein
Barry Gumbiner
Alan Hall
Ulrich Hartl
Nobutaka Hirokawa
H. Robert Horvitz
Alan Rick Horwitz
Tony Hunter
Keith Joiner
Eric Karsenti
Hynda Kleinman
Arthur D. Lander
Jeanne Lawrence
Leslie Leinwand
Joan Massague
Jacopo Meldolesi
Timothy J. Mitchison
Randall T. Moon
Andrew Murray
Bjorn Olsen
Leslie Parise
Mu-ming Poo
Martin Raff
Natasha V. Raikhel
Tom A. Rapoport
Howard Riezman
Daniel B. Rifkin
Mark Rose
Joshua Sanes
Richard Scheller
Trina Schroer
Jean Schwarzbauer
Masatoshi Takeichi
Shoichiro Tsukita
Graham Warren
Marino Zerial

Contents:

Volume 144, Number 1, January 11, 1999

In Brief

Novel functions for adhesion molecules. Roles for coronin in the actin, and possibly microtubule, cytoskeleton.

J. Frazier

1 **Detection by epitope-defined monoclonal antibodies of Werner DNA helicases in the nucleoplasm and their upregulation by cell transformation and immortalization.**

M. Shiratori, S. Sakamoto, N. Suzuki, Y. Tokutake, Y. Kawabe, T. Enomoto, M. Sugimoto, M. Goto, T. Matsumoto, and Y. Furuichi

11 **Sequestration of mammalian Rad51-recombination protein into micronuclei.**

T. Haaf, E. Raderschall, G. Reddy, D.C. Ward, C.M. Radding, and E.I. Golub

21 **The in vivo association of BiP with newly synthesized proteins is dependent on the rate and stability of folding and not simply on the presence of sequences that can bind to BiP.**

R. Hellman, M. Vanhove, A. Lejeune, F.J. Stevens, and L.M. Hendershot

31 **Distinct dynamin-dependent and -independent mechanisms target structurally homologous dopamine receptors to different endocytic membranes.**

R.G. Vickery and M. von Zastrow

45 **A conserved LIM protein that affects muscular adherens junction integrity and mechanosensory function in *Caenorhabditis elegans*.**

O. Hobert, D.G. Moerman, K.A. Clark, M.C. Beckerle, and G. Ruvkun

59 **Vinexin: A novel vinculin-binding protein with multiple SH3 domains enhances actin cytoskeletal organization.**

N. Kioka, S. Sakata, T. Kawauchi, T. Amachi, S.K. Akiyama, K. Okazaki, C. Yaen, K.M. Yamada, and S.-i. Aota

71 **Regulation of the actin cytoskeleton organization in yeast by a novel serine/threonine kinase Prk1p.**

G. Zeng and M. Cai

83 **Coronin promotes the rapid assembly and cross-linking of actin filaments and may link the actin and microtubule cytoskeletons in yeast.**

B.L. Goode, J.J. Wong, A.-C. Butty, M. Peter, A.L. McCormack, J.R. Yates, D.G. Drubin, and G. Barnes

99 **Dynamic localization of CLIP-170 to microtubule plus ends is coupled to microtubule assembly.**

G.S. Diamantopoulos, F. Perez, H.V. Goodson, G. Batelier, R. Melki, T.E. Kreis, and J.E. Rickard

113 **Alf1p, a CLIP-170 domain-containing protein, is functionally and physically associated with α-tubulin.**

B. Feierbach, E. Nogales, K.H. Downing, and T. Stearns

125 **The bipolar kinesin, KLP61F, cross-links microtubules within interpolar microtubule bundles of *Drosophila* embryonic mitotic spindles.**

D.J. Sharp, K.L. McDonald, H.M. Brown, H.J. Matthies, C. Walczak, R.D. Vale, T.J. Mitchison, and J.M. Scholey

139 **Regulation of bone morphogenetic protein activity by pro domains and proprotein convertases.**

D.B. Constam and E.J. Robertson

151 **Absence of basement membranes after targeting the *LAMC1* gene results in embryonic lethality due to failure of endoderm differentiation.**

N. Smyth, H.S. Vatansever, P. Murray, M. Meyer, C. Frie, M. Paulsson, and D. Edgar

161 **Role of CDMP-1 in skeletal morphogenesis: Promotion of mesenchymal cell recruitment and chondrocyte differentiation.**

N. Tsumaki, K. Tanaka, E. Arikawa-Hirasawa, T. Nakase, T. Kimura, J.T. Thomas, T. Ochi, F.P. Luyten, and Y. Yamada

175 **Integrin-dependent control of translation: Engagement of integrin $\alpha_{IIb}\beta_3$ regulates synthesis of proteins in activated human platelets.**

R. Pabla, A.S. Weyrich, D.A. Dixon, P.F. Bray, T.M. McIntyre, S.M. Prescott, and G.A. Zimmerman

185 **An automatic braking system that stabilizes leukocyte rolling by an increase in selectin bond number with shear.**

S. Chen and T.A. Springer

Volume 144, Number 2, January 25, 1999

In Brief

Making peroxisomes from (almost) nothing. Multi-step nuclear envelope reassembly. Rho as a positional signal for cytokinesis. Separating guidance from fasciculation. Disulfides in the cytoplasm.

W.A. Wells

Regular Articles

201 **Nuclear import of the parsley bZIP transcription factor CPRF2 is regulated by phytochrome photoreceptors.**

S. Kircher, F. Wellmer, P. Nick, A. Rügner, E. Schäfer, and K. Harter

213 **Nuclear import of Cdk/cyclin complexes: Identification of distinct mechanisms for import of Cdk2/cyclin E and Cdc2/cyclin B1.**

J.D. Moore, J. Yang, R. Truant, and S. Kornbluth

225 **Temporal differences in the appearance of NEP-B78 and an LBR-like protein during *Xenopus* nuclear envelope reassembly reflect the ordered recruitment of functionally discrete vesicle types.**

S. Drummond, P. Ferrigno, C. Lyon, J. Murphy, M. Goldberg, T. Allen, C. Smythe, and C.J. Hutchison

241 **Ca^{2+}-induced Ca^{2+} release in chromaffin cells seen from inside the ER with targeted aequorin.**

M.T. Alonso, M.J. Barrero, P. Michelena, E. Carnicero, I. Cuchillo, A.G. García, J. García-Sancho, M. Montero, and J. Alvarez

255 **Peroxisome synthesis in the absence of preexisting peroxisomes.**

S.T. South and S.J. Gould

267 **An unconventional role for cytoplasmic disulfide bonds in vaccinia virus proteins.**

J. Krijnse Locker and G. Griffiths

281 **Ordering the cytochrome c–initiated caspase cascade: Hierarchical activation of caspases-2, -3, -6, -7, -8, and -10 in a caspase-9–dependent manner.**

E.A. Slee, M.T. Harte, R.M. Kluck, B.B. Wolf, C.A. Casiano, D.D. Newmeyer, H.-G. Wang, J.C. Reed, D.W. Nicholson, E.S. Alnemri, D.R. Green, and S.J. Martin

293 **Characterization of a *Chlamydomonas* insertional mutant that disrupts flagellar central pair microtubule-associated structures.**

D.R. Mitchell and W.S. Sale

305 **The small GTP-binding protein Rho regulates cortical activities in cultured cells during division.**

C.B. O'Connell, S.P. Wheatley, S. Ahmed, and Y.-l. Wang

315 **Dissociation of FAK/p130^{CAS}/c-Src complex during mitosis: Role of mitosis-specific serine phosphorylation of FAK.**

Y. Yamakita, G. Totsukawa, S. Yamashiro, D. Fry, X. Zhang, S.K. Hanks, and F. Matsumura

325 **Neural cell adhesion molecule (N-CAM) is required for cell type segregation and normal ultrastructure in pancreatic islets.**

F. Esni, I.-B. Täljedal, A.-K. Perl, H. Cremer, G. Christofori, and H. Semb

339 **Neurolin Ig domain 2 participates in retinal axon guidance and Ig domains 1 and 3 in fasciculation.**

C.A. Leppert, H. Diekmann, C. Paul, U. Laessing, M. Marx, M. Bastmeyer, and C.A.O. Stuermer

351 **Analysis of C-cadherin regulation during tissue morphogenesis with an activating antibody.**

Y. Zhong, W.M. Brieher, and B.M. Gumbiner

361 **The junction-associated protein AF-6 interacts and clusters with specific Eph receptor tyrosine kinases at specialized sites of cell–cell contact in the brain.**

M. Buchert, S. Schneider, V. Meskenaite, M.T. Adams, E. Canaani, T. Baechi, K. Moelling, and C.M. Hovens

373 **Membrane-type 1 matrix metalloprotease (MT1-MMP) enables invasive migration of glioma cells in central nervous system white matter.**

A.T.J. Beliën, P.A. Paganetti, and M.E. Schwab

Volume 144, Number 3, February 8, 1999

In Brief

Switching from matrix to cells. Proton gradients in pollen tubes. Tension turns off endocytosis. Making dendritic spines. Cadherin-mediated motility.

W.A. Wells

Mini-Review

385 **Intraflagellar transport: The eyes have it.**

J.L. Rosenbaum, D.G. Cole, and D.R. Diener

Regular Articles

389 **A novel in vivo assay reveals inhibition of ribosomal nuclear export in Ran-cycle and nucleoporin mutants.**
E. Hurt, S. Hannus, B. Schmelzl, D. Lau, D. Tollervey, and G. Simos

403 **Mammalian homologue of the *Caenorhabditis elegans* UNC-76 protein involved in axonal outgrowth is a protein kinase C ζ–interacting protein.**
S. Kuroda, N. Nakagawa, C. Tokunaga, K. Tatematsu, and K. Tanizawa

413 **Evidence that atypical protein kinase C-λ and atypical protein kinase C-ζ participate in Ras-mediated reorganization of the F-actin cytoskeleton.**
F. Überall, K. Hellbert, S. Kampfer, K. Maly, A. Villunger, M. Spitaler, J. Mwanjewe, G. Baier-Bitterlich, G. Baier, and H.H. Grunicke

427 **Arginase II downregulates nitric oxide (NO) production and prevents NO-mediated apoptosis in murine macrophage-derived RAW 264.7 cells.**
T. Gotoh and M. Mori

435 **The intermediate filament protein peripherin is the specific interaction partner of mouse BPAG1-n (dystonin) in neurons.**
C.L. Leung, D. Sun, and R.K.H. Liem

447 **Slow axonal transport of neurofilament protein in cultured neurons.**
T.J. Koehnle and A. Brown

459 **Induction of integral membrane PAM expression in AtT-20 cells alters the storage and trafficking of POMC and PC1.**
G.D. Ciccotosto, M.R. Schiller, B.A. Eipper, and R.E. Mains

473 **The DHC1b (DHC2) isoform of cytoplasmic dynein is required for flagellar assembly.**
G.J. Pazour, B.L. Dickert, and G.B. Witman

483 **Growing pollen tubes possess a constitutive alkaline band in the clear zone and a growth-dependent acidic tip.**
J.A. Feijó, J. Sainhas, G.R. Hackett, J.G. Kunkel, and P.K. Hepler

497 **Membrane expansion increases endocytosis rate during mitosis.**
D. Raucher and M.P. Sheetz

507 **Neurotransmitter secretion along growing nerve processes: Comparison with synaptic vesicle exocytosis.**
S. Zakharenko, S. Chang, M. O'Donoghue, and S.V. Popov

519 **δ-catenin, an adhesive junction–associated protein which promotes cell scattering.**
Q. Lu, M. Paredes, M. Medina, J. Zhou, R. Cavallo, M. Peifer, L. Orecchio, and K.S. Kosik

533 ***D*E-Cadherin is required for intercellular motility during *Drosophila* oogenesis.**
P. Niewiadomska, D. Godt, and U. Tepass

549 **Evidence that distinct states of the integrin α6β1 interact with laminin and an ADAM.**
M.S. Chen, E.A.C. Almeida, A.-P.J. Huovila, Y. Takahashi, L.M. Shaw, A.M. Mercurio, and J.M. White

563 **Laminin 5 in the human thymus: Control of T cell proliferation via $\alpha_6\beta_4$ integrins.**
M. Vivinus-Nebot, M. Ticchioni, F. Mary, P. Hofman, V. Quaranta, P. Rousselle, and A. Bernard

575 **Cell surface heparan sulfate proteoglycan syndecan-2 induces the maturation of dendritic spines in rat hippocampal neurons.**
I.M. Ethell and Y. Yamaguchi

587 ADDITIONS AND CORRECTIONS

Volume 144, Number 4, February 22, 1999

In Brief

Matrix spacing controls adhesion. Sphingolipid trafficking. A hyaluronan receptor in the lymphatic system. Controlling platelet shape change. Gene-specific association with domains.
W.A. Wells

Regular Articles

589 **Telomere length dynamics and chromosomal instability in cells derived from telomerase null mice.**
M.P. Hande, E. Samper, P. Lansdorp, and M.A. Blasco

603 **The RNA-editing enzyme ADAR1 is localized to the nascent ribonucleoprotein matrix on *Xenopus* lampbrush chromosomes but specifically associates with an atypical loop.**
C.R. Eckmann and M.F. Jantsch

617 **Processing of endogenous pre-mRNAs in association with SC-35 domains is gene specific.**
K.P. Smith, P.T. Moen, Jr., K.L. Wydner, J.R. Coleman, and J.B. Lawrence

631 **Reduced differentiation potential of primary *MyoD*$^{-/-}$ myogenic cells derived from adult skeletal muscle.**
L.A. Sabourin, A. Girgis-Gabardo, P. Seale, A. Asakura, and M.A. Rudnicki

645 **A monoclonal antibody to the COOH-terminal acidic portion of Ran inhibits both the recycling of Ran and nuclear protein import in living cells.**
M. Hieda, T. Tachibana, F. Yokoya, S. Kose, N. Imamoto, and Y. Yoneda

657 **Microtubule-dependent plus- and minus end–directed motilities are competing processes for nuclear targeting of adenovirus.**
M. Suomalainen, M.Y. Nakano, S. Keller, K. Boucke, R.P. Stidwill, and U.F. Greber

673 **Genetic evidence for ATP-dependent endoplasmic reticulum-to-Golgi apparatus trafficking of ceramide for sphingomyelin synthesis in chinese hamster ovary cells.**
M. Fukasawa, M. Nishijima, and K. Hanada

687 **Coupling assembly of the E-cadherin/β-catenin complex to efficient endoplasmic reticulum exit and basal-lateral membrane targeting of E-cadherin in polarized MDCK cells.**
Y.-T. Chen, D.B. Stewart, and W.J. Nelson

701 **Altered cytochrome c display precedes apoptotic cell death in *Drosophila*.**
J. Varkey, P. Chen, R. Jemmerson, and J.M. Abrams

711 **The yeast dynamin-like protein, Mgm1p, functions on the mitochondrial outer membrane to mediate mitochondrial inheritance.**
K.A. Shepard and M.P. Yaffe

721 **Characterization of two related *Drosophila* γ-tubulin complexes that differ in their ability to nucleate microtubules.**
K. Oegema, C. Wiese, O.C. Martin, R.A. Milligan, A. Iwamatsu, T.J. Mitchison, and Y. Zheng

735 **Activation of myosin phosphatase targeting subunit by mitosis-specific phosphorylation.**
G. Totsukawa, Y. Yamakita, S. Yamashiro, H. Hosoya, D.J. Hartshorne, and F. Matsumura

745 **Activation of G_{12}/G_{13} results in shape change and Rho/Rho-kinase–mediated myosin light chain phosphorylation in mouse platelets.**
B. Klages, U. Brandt, M.I. Simon, G. Schultz, and S. Offermanns

755 **Similarities and differences in RANTES- and (AOP)-RANTES–triggered signals: Implications for chemotaxis.**
J.M. Rodríguez-Frade, A.J. Vila-Coro, A. Martín, M. Nieto, F. Sánchez-Madrid, A.E.I. Proudfoot, T.N.C. Wells, C. Martínez-A., and M. Mellado

767 **The vitronectin receptor and its associated CD47 molecule mediates proinflammatory cytokine synthesis in human monocytes by interaction with soluble CD23.**
P. Hermann, M. Armant, E. Brown, M. Rubio, H. Ishihara, D. Ulrich, R.G. Caspary, F.P. Lindberg, R. Armitage, C. Maliszewski, G. Delespesse, and M. Sarfati

777 **Matrix valency regulates integrin-mediated lymphoid adhesion via Syk kinase.**
D.G. Stupack, E. Li, S.A. Silletti, J.A. Kehler, R.L. Geahlen, K. Hahn, G.R. Nemerow, and D.A. Cheresh

789 **LYVE-1, a new homologue of the CD44 glycoprotein, is a lymph-specific receptor for hyaluronan.**
S. Banerji, J. Ni, S.-X. Wang, S. Clasper, J. Su, R. Tammi, M. Jones, and D.G. Jackson

803 ADDITIONS AND CORRECTIONS

Volume 144, Number 5, March 8, 1999

In Brief

Integration of damage signals before commitment to death. Mutational analysis. Modulating morphogenic proteins.
D.A. Haycock

805 *Letter from the Editors*

807 *Remarks*

Mini-Review

809 **Formin' the connection between microtubules and the cell cortex.**
R.A. Heil-Chapdelaine, N.R. Adames, and J.A. Cooper

Regular Articles

813 **Direct imaging of DNA in living cells reveals the dynamics of chromosome formation.**
E.M.M. Manders, H. Kimura, and P.R. Cook

823 **The β4 integrin interactor p27$^{BBP/eIF6}$ is an essential nuclear matrix protein involved in 60S ribosomal subunit assembly.**
F. Sanvito, S. Piatti, A. Villa, M. Bossi, G. Lucchini, P.C. Marchisio, and S. Biffo

839 **Proteins connecting the nuclear pore complex with the nuclear interior.**
C. Strambio-de-Castillia, G. Blobel, and M.P. Rout

857 **Calreticulin is essential for cardiac development.**
N. Mesaeli, K. Nakamura, E. Zvaritch, P. Dickie, E. Dziak, K.-H. Krause, M. Opas, D.H. MacLennan, and M. Michalak

869 **SNARE membrane trafficking dynamics in vivo.**
D.S. Chao, J.C. Hay, S. Winnick, R. Prekeris, J. Klumperman, and R.H. Scheller

883 **The release of cytochrome c from mitochondria during apoptosis of NGF-deprived sympathetic neurons is a reversible event.**
I. Martinou, S. Desagher, R. Eskes, B. Antonsson, E. André, S. Fakan, and J.-C. Martinou

891 **Bid-induced conformational change of Bax is responsible for mitochondrial cytochrome c release during apoptosis.**
S. Desagher, A. Osen-Sand, A. Nichols, R. Eskes, S. Montessuit, S. Lauper, K. Maundrell, B. Antonsson, and J.-C. Martinou

903 **Cell damage-induced conformational changes of the pro-apoptotic protein Bak in vivo precede the onset of apoptosis.**
G.J. Griffiths, L. Dubrez, C.P. Morgan, N.A. Jones, J. Whitehouse, B.M. Corfe, C. Dive, and J.A. Hickman

915 **Activation of membrane-associated procaspase-3 is regulated by Bcl-2.**
J.F. Krebs, R.C. Armstrong, A. Srinivasan, T. Aja, A.M. Wong, A. Aboy, R. Sayers, B. Pham, T. Vu, K. Hoang, D.S. Karanewsky, C. Leist, A. Schmitz, J.C. Wu, K.J. Tomaselli, and L.C. Fritz

927 **Dissection of cell division processes in the one cell stage *Caenorhabditis elegans* embryo by mutational analysis.**
P. Gönczy, H. Schnabel, T. Kaletta, A.D. Amores, T. Hyman, and R. Schnabel

947 **Control of mitotic spindle position by the *Saccharomyces cerevisiae* formin Bni1p.**
L. Lee, S.K. Klee, M. Evangelista, C. Boone, and D. Pellman

963 **The cortical localization of the microtubule orientation protein, Kar9p, is dependent upon actin and proteins required for polarization.**
R.K. Miller, D. Matheos, and M.D. Rose

977 **Microtubule dynamics from mating through the first zygotic division in the budding yeast *Saccharomyces cerevisiae.***
P. Maddox, E. Chin, A. Mallavarapu, E. Yeh, E.D. Salmon, and K. Bloom

989 **Specific myosin heavy chain mutations suppress troponin I defects in *Drosophila* muscles.**
W.A. Kronert, A. Acebes, A. Ferrús, and S.I. Bernstein

1001 **Ponsin/SH3P12: An l-afadin– and vinculin-binding protein localized at cell–cell and cell–matrix adherens junctions.**
K. Mandai, H. Nakanishi, A. Satoh, K. Takahashi, K. Satoh, H. Nishioka, A. Mizoguchi, and Y. Takai

1019 **Protein tyrosine phosphatase-PEST regulates focal adhesion disassembly, migration, and cytokinesis in fibroblasts.**
A. Angers-Loustau, J.-F. Côté, A. Charest, D. Dowbenko, S. Spencer, L.A. Lasky, and M.L. Tremblay

1033 **Dissection of the molecular basis of pp60$^{v\text{-}src}$ induced gating of connexin 43 gap junction channels.**
L. Zhou, E.M. Kasperek, and B.J. Nicholson

1047 **Differential regulation of β_1 integrins by chemoattractants regulates neutrophil migration through fibrin.**
J.D. Loike, L. Cao, S. Budhu, E.E. Marcantonio, J. El Khoury, S. Hoffman, T.A. Yednock, and S.C. Silverstein

1057 **Hensin remodels the apical cytoskeleton and induces columnarization of intercalated epithelial cells: Processes that resemble terminal differentiation.**
S. Vijayakumar, J. Takito, C. Hikita, and Q. Al-Awqati

1069 **Type IIA procollagen containing the cysteine-rich amino propeptide is deposited in the extracellular matrix of prechondrogenic tissue and binds to TGF-β1 and BMP-2.**
Y. Zhu, A. Oganesian, D.R. Keene, and L.J. Sandell

1081 ADDITIONS AND CORRECTIONS

Volume 144, Number 6, March 22, 1999

In Brief

Controlling actin. Doing without acetylcholinesterase. Multiple regulators of one kinesin motor.
W.A. Wells

Regular Articles

1083 **Roles of LAP2 proteins in nuclear assembly and DNA replication: Truncated LAP2β proteins alter lamina assembly, envelope formation, nuclear size, and DNA replication efficiency in *Xenopus laevis* extracts.**
T.M. Gant, C.A. Harris, and K.L. Wilson

1097 **A conserved biogenesis pathway for nucleoporins: Proteolytic processing of a 186-kilodalton precursor generates Nup98 and the novel nucleoporin, Nup96.**
B.M.A. Fontoura, G. Blobel, and M.J. Matunis

1113 **Dynamics of myoblast transplantation reveal a discrete minority of precursors with stem cell–like properties as the myogenic source.**
J.R. Beauchamp, J.E. Morgan, C.N. Pagel, and T.A. Partridge

1123 ***minifly*, A *Drosophila* gene required for ribosome biogenesis.**
E. Giordano, I. Peluso, S. Senger, and M. Furia

1135 **Golgi structure in three dimensions: Functional insights from the normal rat kidney cell.**
M.S. Ladinsky, D.N. Mastronarde, J.R. McIntosh, K.E. Howell, and L.A. Staehelin

1151 **Involvement of Pex13p in Pex14p localization and peroxisomal targeting signal 2–dependent protein import into peroxisomes.**
W. Girzalsky, P. Rehling, K. Stein, J. Kipper, L. Blank, W.-H. Kunau, and R. Erdmann

1163 **Recombinant major vault protein is targeted to neuritic tips of PC12 cells.**
C. Herrmann, E. Golkaramnay, E. Inman, L. Rome, and W. Volknandt

1173 **Fission yeast α-glucan synthase Mok1 requires the actin cytoskeleton to localize the sites of growth and plays an essential role in cell morphogenesis downstream of protein kinase C function.**
S. Katayama, D. Hirata, M. Arellano, P. Pérez, and T. Toda

1187 **A Cdc24p-Far1p-Gβγ protein complex required for yeast orientation during mating.**
A. Nern and R.A. Arkowitz

1203 **Novel protein kinases Ark1p and Prk1p associate with and regulate the cortical actin cytoskeleton in budding yeast.**
M.J.T.V. Cope, S. Yang, C. Shang, and D.G. Drubin

1219 **Differential regulation of the Kar3p kinesin-related protein by two associated proteins, Cik1p and Vik1p.**
B.D. Manning, J.G. Barrett, J.A. Wallace, H. Granok, and M. Snyder

1235 **Rho GTPases control polarity, protrusion, and adhesion during cell movement.**
C.D. Nobes and A. Hall

1245 **Role of proteins of the Ena/VASP family in actin-based motility of *Listeria monocytogenes*.**
V. Laurent, T.P. Loisel, B. Harbeck, A. Wehman, L. Gröbe, B.M. Jockusch, J. Wehland, F.B. Gertler, and M.-F. Carlier

1259 **Extensive but coordinated reorganization of the membrane skeleton in myofibers of dystrophic (*mdx*) mice.**
M.W. Williams and R.J. Bloch

1271 **Endocytic sorting of lipid analogues differing solely in the chemistry of their hydrophobic tails.**
S. Mukherjee, T.T. Soe, and F.R. Maxfield

1285 **A role for caveolin and the urokinase receptor in integrin-mediated adhesion and signaling.**
Y. Wei, X. Yang, Q. Liu, J.A. Wilkins, and H.A. Chapman

1295 **Quantitative changes in integrin and focal adhesion signaling regulate myoblast cell cycle withdrawal.**
S.K. Sastry, M. Lakonishok, S. Wu, T.Q. Truong, A. Huttenlocher, C.E. Turner, and A.F. Horwitz

1311 **Functional domains of α-catenin required for the strong state of cadherin-based cell adhesion.**
Y. Imamura, M. Itoh, Y. Maeno, S. Tsukita, and A. Nagafuchi

1323 **PTPμ regulates N-cadherin–dependent neurite outgrowth.**
S.M. Burden-Gulley and S.M. Brady-Kalnay

1337 **Extracellular matrix regulates apoptosis in mammary epithelium through a control on insulin signaling.**
N. Farrelly, Y.-J. Lee, J. Oliver, C. Dive, and C.H. Streuli

1349 **Genetic analysis of collagen Q: Roles in acetylcholinesterase and butyrylcholinesterase assembly and in synaptic structure and function.**
G. Feng, E. Krejci, J. Molgo, J.M. Cunningham, J. Massoulié, and J.R. Sanes

1361 ADDITIONS AND CORRECTIONS

1363 AUTHOR INDEX FOR VOLUME 144

1373 SUBJECT INDEX FOR VOLUME 144